


Java Pendant Light



SPECIFICATION SHEET



DESCRIPTION

Bring a touch of nature into any space with the Java Pendant Light. This beautiful lighting fixture expertly brings together geometric and natural forms with sheets of wood arranged in a circular shape, plus a multitude of threads that generate a warm and inviting glow when lit. An elegant addition to any home or office.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP-230831155101
Fixture Dimensions	D 11.8" x H 7.9"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Beige & Nature wood.
Shadow Details	Beige & Nature wood.
Material	Metal, Wood, Hemp Rope.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.
Warranty	2 Yaers
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Bring a touch of nature into any space with the Java Pendant Light. This beautiful lighting fixture expertly brings together geometric and natural forms with sheets of wood arranged in a circular shape, plus a multitude of threads that generate a warm and inviting glow when lit. An elegant addition to any home or office.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP-230831155102
Fixture Dimensions	D 15.7" x H 11"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Beige & Nature wood.
Shadow Details	Beige & Nature wood.
Material	Metal, Wood, Hemp Rope.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.
Warranty	2 Yaers
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Bring a touch of nature into any space with the Java Pendant Light. This beautiful lighting fixture expertly brings together geometric and natural forms with sheets of wood arranged in a circular shape, plus a multitude of threads that generate a warm and inviting glow when lit. An elegant addition to any home or office.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP-230831155103
Fixture Dimensions	D 19.7" x H 13.8"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Beige & Nature wood.
Shadow Details	Beige & Nature wood.
Material	Metal, Wood, Hemp Rope.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.
Warranty	2 Yaers
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Bring a touch of nature into any space with the Java Pendant Light. This beautiful lighting fixture expertly brings together geometric and natural forms with sheets of wood arranged in a circular shape, plus a multitude of threads that generate a warm and inviting glow when lit. An elegant addition to any home or office.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP-230831155104
Fixture Dimensions	D 23.6" x H 17.7"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Beige & Nature wood.
Shadow Details	Beige & Nature wood.
Material	Metal, Wood, Hemp Rope.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.
Warranty	2 Yaers
Certification	UL, CE, CCC, ETL, SAA.

