


Flexible Linear Curve Chandelier



SPECIFICATION SHEET



DESCRIPTION

Crafted from high-quality silicone and robust metal, this lighting fixture presents a modern twist on traditional elegance. Its signature feature is the smooth, flowing line of silicone—a malleable material that brings a playful flexibility to the design.

The chandelier's metallic elements add a touch of sophistication with their sleek finish, creating a harmonious contrast that is visually appealing. This light's innovative structure allows for a customizable length to fit any space perfectly, promising not just illumination but also a statement piece that embodies fluidity and modernity. Perfect for avant-garde interiors, it exudes a soft, diffused glow that can transform any room into a serene retreat.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC7-240325-1
Fixture Dimmensions	D 15.7" x H 7.9"
Light source	Integrated LED
Wattage	~ 12W
Voltage	AC 110-240V
Dimming	Dimmable
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K)
Control method	Compatible with common wall switches(not included).
Finishes	Gold, Black.
Shadow Details	White.
Material	Silicone, Metal.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Crafted from high-quality silicone and robust metal, this lighting fixture presents a modern twist on traditional elegance. Its signature feature is the smooth, flowing line of silicone—a malleable material that brings a playful flexibility to the design.

The chandelier's metallic elements add a touch of sophistication with their sleek finish, creating a harmonious contrast that is visually appealing. This light's innovative structure allows for a customizable length to fit any space perfectly, promising not just illumination but also a statement piece that embodies fluidity and modernity. Perfect for avant-garde interiors, it exudes a soft, diffused glow that can transform any room into a serene retreat.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC7-240325-5
Fixture Dimmensions	D 23.6" x H 11.8"
Light source	Integrated LED
Wattage	~ 36W
Voltage	AC 110-240V
Dimming	Dimmable
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K)
Control method	Compatible with common wall switches(not included).
Finishes	Gold, Black.
Shadow Details	White.
Material	Silicone, Metal.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Crafted from high-quality silicone and robust metal, this lighting fixture presents a modern twist on traditional elegance. Its signature feature is the smooth, flowing line of silicone—a malleable material that brings a playful flexibility to the design.

The chandelier's metallic elements add a touch of sophistication with their sleek finish, creating a harmonious contrast that is visually appealing. This light's innovative structure allows for a customizable length to fit any space perfectly, promising not just illumination but also a statement piece that embodies fluidity and modernity. Perfect for avant-garde interiors, it exudes a soft, diffused glow that can transform any room into a serene retreat.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC7-240325-9
Fixture Dimmensions	D 31.5" x H 11.8"
Light source	Integrated LED
Wattage	~ 48W
Voltage	AC 110-240V
Dimming	Dimmable
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K)
Control method	Compatible with common wall switches(not included).
Finishes	Gold, Black.
Shadow Details	White.
Material	Silicone, Metal.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Crafted from high-quality silicone and robust metal, this lighting fixture presents a modern twist on traditional elegance. Its signature feature is the smooth, flowing line of silicone—a malleable material that brings a playful flexibility to the design.

The chandelier's metallic elements add a touch of sophistication with their sleek finish, creating a harmonious contrast that is visually appealing. This light's innovative structure allows for a customizable length to fit any space perfectly, promising not just illumination but also a statement piece that embodies fluidity and modernity. Perfect for avant-garde interiors, it exudes a soft, diffused glow that can transform any room into a serene retreat.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC7-240325-21
Fixture Dimmensions	L 43.3" x W 0.8" x H 12.6"
Light source	Integrated LED
Wattage	~ 30W
Voltage	AC 110-240V
Dimming	Dimmable
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K)
Control method	Compatible with common wall switches(not included).
Finishes	Gold, Black.
Shadow Details	White.
Material	Silicone, Metal.
Rod Length	Suspension rod length 50cm / 19.7", and can be spliced as needed.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

Crafted from high-quality silicone and robust metal, this lighting fixture presents a modern twist on traditional elegance. Its signature feature is the smooth, flowing line of silicone—a malleable material that brings a playful flexibility to the design.

The chandelier's metallic elements add a touch of sophistication with their sleek finish, creating a harmonious contrast that is visually appealing. This light's innovative structure allows for a customizable length to fit any space perfectly, promising not just illumination but also a statement piece that embodies fluidity and modernity. Perfect for avant-garde interiors, it exudes a soft, diffused glow that can transform any room into a serene retreat.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC7-240325-25
Fixture Dimmensions	L 59.1" x W 0.8" x H 12.6"
Light source	Integrated LED
Wattage	~ 42W
Voltage	AC 110-240V
Dimming	Dimmable
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included).
Finishes	Gold, Black.
Shadow Details	White.
Material	Silicone, Metal.
Rod Length	Suspension rod length 50cm / 19.7", and can be spliced as needed.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

