


JUBE Table Lamp





Inspiration

Retro charm. The elegant and delicate look of blown glass finds a new dimension in Jube. Two glass units placed side by side, perfectly assembled, so much so that they look like a unique piece. The result is a sinuous lamp, formed by superimpositions and with tone-on-tone colors that give it a precious, vintage mood.

Finish Palette

Finishes: Gold

Lampshade: Glass

Glass Colours: Clear, Smoke, Brown

Customization available upon request.

Made and assembled in China.

Specifications

DIMENSIONS

9.5" D x 21.7" H / 24cm D x 55cm H

Light Source: Built-in LED integration

Power: ~10 Watt 3000K

CRI: 80+

Lumens: 1100 Lumens est.

LED Drivers: YES, (Need to connect driver)

Dimming: Not supported Dimming

Cable type

Black Cable with Switch Plug Length 59" / 150cm.
(additional lengths are available upon request)

Warranty: 3 years

Environment: Indoor

Weight: 6.6 lbs/ 3 kg

Standard Lead time: 4-7 weeks

MATERIALS


Metal, Glass

Voltage: AC 120-240V

Certification: CCC, CE, UL, SAA, KC



UL, cUL (120V), CE, CB (240V) Certified



Inspiration

Retro charm. The elegant and delicate look of blown glass finds a new dimension in Jube. Two glass units placed side by side, perfectly assembled, so much so that they look like a unique piece. The result is a sinuous lamp, formed by superimpositions and with tone-on-tone colors that give it a precious, vintage mood.

Finish Palette

Finishes: Gold

Lampshade: Glass

Glass Colours: Clear, Smoke, Brown

Customization available upon request.

Made and assembled in China.

Specifications

DIMENSIONS

10.2" D x 21.7" H / 26cm D x 55cm H

Light Source: Built-in LED integration

Power: ~10 Watt 3000K

CRI: 80+

Lumens: 1100 Lumens est.

LED Drivers: YES, (Need to connect driver)

Dimming: Not supported Dimming

Cable type

Black Cable with Switch Plug Length 59" / 150cm.
(additional lengths are available upon request)

Warranty: 3 years

Environment: Indoor

Weight: 6.6 lbs/ 3 kg

Standard Lead time: 4-7 weeks

MATERIALS

Metal, Glass

Voltage: AC 120-240V

Certification: CCC, CE, UL, SAA, KC



UL, cUL (120V), CE, CB (240V) Certified